

1. 如何選擇合適的安裝位置？

2. 如何安裝？



3. 如何清潔？

- 1) 使用軟毛刷或海綿清潔玻璃表面。
- 2) 使用白醋或檸檬汁清潔玻璃表面。
- 3) 使用軟毛刷或海綿清潔玻璃表面。
- 4) 注意：PVC 材質的 Windows 系統可能會導致玻璃表面出現裂紋或損壞。

□□□□□ □□□□□□□□ ?

Order No:	12-1401
Order:	
Order	Order Order
Order:	Order
Order:	1. 5 10 2. 15 20
Order	1. 24 36 2. 36 48 3. 48 60
Order:	500, 000 1, 000 1 000 pc
Order:	30-45
Order:	T/T L C
T:	
Order:	1. BPA 2. ; 3. ; 4. ;
Order:	1. ; 2. ; 3. ; 4. ; 5. ;

□□□□□□□□ □□ ■■











□□□□□□□□



15 3 2

Ruixin Sedex Sgs

2015 10

:



□□□:



□□□□□□□□:



FAQ

Q: 玻璃杯的厚度是多少?

A: 玻璃杯的厚度是根据客户的需求来定的, 一般在 2.5mm 到 3.5mm 之间, 具体厚度需要根据客户的需求来定。

Q: 玻璃杯的容量是多少?

A: 玻璃杯的容量是根据客户的需求来定的, 一般在 250ml 到 500ml 之间, 具体容量需要根据客户的需求来定。

Q: 玻璃杯的厚度 1 是多少?

A: 玻璃杯的厚度 1 是指玻璃杯的厚度, 一般在 2.5mm 到 3.5mm 之间, 具体厚度需要根据客户的需求来定。

Q: 玻璃杯的厚度?

玻璃杯的厚度一般在 7-15 毫米之间, 具体厚度需要根据客户的需求来定。
OEM 玻璃杯的厚度 30-35 毫米。

Q: 玻璃杯的厚度?

A: 玻璃杯的厚度一般在 300 到 30000 毫米之间, 具体厚度需要根据客户的需求来定。

Q: 玻璃杯的厚度?

A: 玻璃杯的厚度一般在 300 到 30000 毫米之间, 具体厚度需要根据客户的需求来定。

